Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	A009A	R	Active	The Submission XML layout must follow the schema for this line of business.	The Submission XML layout does not follow the schema for this line of business.
Parser	A009B	R	Active	The Header XML layout must follow the schema for this line of business.	The Header XML layout does not follow the schema for this line of business.
Parser	A009C	R	Active	The Detail XML layout must follow the schema for this line of business.	The Detail XML layout does not follow the schema for this line of business.
Parser	A010A	Н	Active	DSS Table is not available.	SYSTEM DOWN: DSS table is not available.
Parser	A011A	Н	Active	Cannot unzip file contents. File may be empty or incomplete.	INVALID FILE: The file is not a valid ZIP file. It may be empty or incomplete.
Parser	D002C	R	Active	Submitter Organization ID is a mandatory 8-digit field.	INVALID DATA: Submitter_organization_id must be present in the detail record, numeric and fixed length of 8.
Parser	D004A	R	Active	Record ID is a mandatory alphanumeric and/or special characters field that is unique within a submission and with a maximum length of 80 characters.	INVALID DATA: Record_id must be present, unique within a submission, and have an alphanumeric and/or special characters value with a max length of 80.
Parser	D004H	R	Active	Duplicate Record ID's are not allowed within the same submission.	DUPLICATE RECORD. Duplicate record_id exists within the same submission.
Parser	D005D	A	Active	Parent Record ID is a situational alphanumeric and/or special characters field with a maximum length of 80 characters.	INVALID DATA: When provided parent_record_id must be an alphanumeric and/or special characters value with a max length of 80.
Parser	D006A	Α	Active	Original ID is a mandatory alphanumeric field with a maximum length of 80 characters.	INVALID DATA: Original_id must be present, alphanumeric value with a max length of 80.
Parser	D008A	R	Active	Record Type is a mandatory field with a value of "O" or "C".	INVALID DATA: Record_type must be present and have a value O or C.
Parser	D009C	Α	Active	Adjustment Type is a situational 1 character field.	INVALID DATA: When provided adjustment_type must be alpha value with a fixed length of 1.
Parser	D010A	М	Active	Adjustment Type Detail is a situational field with a value of "FC", "PC" or "NC".	INVALID DATA: When provided adjustment_type_detail must have a value FC, PC or NC.
Parser	D030C	М	Active	Recipient ID is a mandatory 10 digit numeric field.	INVALID DATA: Recipient_id must be present, numeric, and a fixed length of 10.
Parser	D031B	M	Active	Recipient Last Name is a mandatory	INVALID DATA: Recipient_last_name
Revision Date	02/01	1/2008	Author:	Ramona Johnson Approver:	

Level 3 – AODA Parser Edits

Edit Type	Edit	Error	Status	Edit Description	Error Message
Luit Type	Number	Category	Status	Luit Description	LITOI Message
				alphanumeric and/or special characters field with a maximum length of 35 characters.	must be present, an alphanumeric and/or special characters value with a max length of 35.
Parser	D032B	М	Active	Recipient First Name is a mandatory alphanumeric and/or special characters field with a maximum length of 25 characters.	INVALID DATA: Recipient_first_name must be present, an alphanumeric and/or special characters value with a max length of 25.
Parser	D033A	М	Active	Recipient Middle Name is a situational alphanumeric and/or special characters field with a max length of 25 characters.	INVALID DATA: Recipient_middle_name, if known, must be provided and be alphanumeric and/or special characters value with a max length of 25.
Parser	D042B	S	Active	Service Date From is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Service_date_from is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D043B	S	Active	Service Date To is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Service_date_to is not a valid date format CCYYMM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D052B	S	Active	Quantity is a mandatory numeric field with a maximum length of 15.	INVALID DATA: Quantity must be present, numeric with a decimal format of 99999999999999999999999999999999999
Parser	D053A	S	Active	Unit or Basis for Measurement Code is a mandatory alphanumeric field with a max length of 2.	INVALID DATA: Unit_or_basis_for_measurement_code must be present, alphanumeric with a max length of 2.
Parser	D059A	R	Active	Posting date is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Posting_date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D071A	М	Active	Recipient Birth Date must be in the format of CCYY-MM-DD.	INVALID DATA: Recipient_birth_date is not a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D074T	S	Active	SPC is a mandatory alphanumeric field with a maximum length of 6 characters and a minimum of 4 (3 numbers followed by a dot).	INVALID DATA: Spc must be numeric dot format with a length between 4 and 6 in the following patterns: 999. or 999.9 or 999.99
Parser	D075A	S	Active	Diagnosis Code Principal is a non- mandatory field with a maximum length of 30 characters.	INVALID DATA: When provided diagnosis_code_principal must be an alphanumeric dot value with a max length of 30.
Revision Date	02/01	1/2008	Author:	Ramona Johnson Approver:	

Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D202A	М	Active	Characteristic 1 is a mandatory numeric field with a fixed length of 2.	INVALID DATA: Characteristic1 must be present, numeric with a fixed length of 2.
Parser	D203A	М	Active	Characteristic 2 is a numeric field with a fixed length of 2.	INVALID DATA: When provided characteristic2 must be numeric with a fixed length of 2.
Parser	D204A	М	Active	Characteristic 3 is a numeric field with a fixed length of 2.	INVALID DATA: When provided characteristic3 must be numeric with a fixed length of 2.
Parser	D206A	М	Active	City is a mandatory alphanumeric field with a max length of 52 characters.	INVALID DATA: City must be present, alphanumeric and have a max length of 52.
Parser	D210A	S	Active	County Code is a mandatory 2 digit numeric field.	INVALID DATA: County_code must be present in the detail record, numeric and fixed length of 2.
Parser	D227A	S	Active	Episode End date is in the format of CCYY-MM-DD.	INVALID DATA: When provided episode_end_date must be a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D228A	S	Active	Episode Review Due Date is in the format of CCYY-MM-DD.	INVALID DATA: When provided episode_review_due_date must be a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D229A	S	Active	Episode Start Date is in the format of CCYY-MM-DD.	INVALID DATA: When provided episode_start_date must have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D230A	S	Active	Family ID is an alphanumeric field with a max length of 7.	INVALID DATA: Family_id must be alphanumeric and max length of 7.
Parser	D235A	М	Active	Gender is a mandatory alpha field with a fixed length of 1.	INVALID DATA: Gender must be present, alpha and fixed length of 1.
Parser	D239A	М	Active	Hispanic Latino is a mandatory alpha field with a fixed length of 1.	INVALID DATA: Hispanic_latino must be present, alpha and fixed length of 1.
Parser	D240A	М	Active	MA Number is a situational numeric field with a fixed length of 10.	INVALID DATA: Ma_number, if known, must be provided, numeric and fixed length of 10.

Revision Date:	02/01/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D245A	S	Active	Provider Number is a mandatory alphanumeric field with a fixed length of 10.	INVALID DATA: Provider_number must be present, alphanumeric and fixed length of 10.
Parser	D247A	М	Active	Race Code 1 is a mandatory alpha field with a fixed length of 1.	INVALID DATA: When provided race_code1 must be present, alpha and fixed length of 1.
Parser	D248A	М	Active	Race Code 2 is a situational alpha field with a fixed length of 1.	INVALID DATA: When provided race_code2 must be alpha and fixed length of 1.
Parser	D249A	М	Active	Race Code 3 is a situational alpha field with a fixed length of 1.	INVALID DATA: When provided race_code3 must be alpha and fixed length of 1.
Parser	D250A	М	Active	Race Code 4 is a situational alpha field with a fixed length of 1.	INVALID DATA: When provided race_code4 must be alpha and fixed length of 1.
Parser	D251A	М	Active	Race Code 5 is a situational alpha field with a fixed length of 1.	INVALID DATA: When provided race_code5 must be alpha and fixed length of 1.
Parser	D252A	M	Active	Recipient Suffix Name is a situational alphanumeric plus field with a max length of 10.	INVALID DATA: Recipient_suffix_name, if known, must be provided, alphanumeric plus and max length of 10.
Parser	D253A	S	Active	Referral Source is a situational numeric field with a fixed length of 2.	INVALID DATA: When provided referral_source must be numeric and fixed length of 2.
Parser	D255A	М	Active	Social Security Number is a situational numeric field with a fixed length of 9.	INVALID DATA: Social_security_number, if known, must be provided, numeric and fixed length of 9.
Parser	D257A	S	Active	SPC Delivery Year Month is a mandatory field in the format of CCYY-MM.	INVALID DATA: Spc_delivery_year_month must be present and have a valid date format of CCYY-MM, where CCYY is a valid century and year, MM is a valid month.
Parser	D258A	S	Active	SPC End Date is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Spc_end_date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	D259A	S	Active	SPC End Reason is a situational numeric field with a fixed length of 2.	INVALID DATA: When provided spc_end_reason must be numeric and fixed length of 2.
Parser	D260A	S	Active	SPC Review Due Year Month is an alphanumeric field in the format of CCYY-MM.	INVALID DATA: When provided spc_review_due_year_month must be present and have a valid date format of
Revision Date	02/01	1/2008	Author:	Ramona Johnson Approver:	

Level 3 – AODA Parser Edits

Edit Type
Parser D261A S Active SPC Start Date is a situational field in the format of CCYY-MM-DD. Parser D262A S Active State Abbreviation is a mandatory alpha field with a fixed length of 2. Parser D264A S Active Street Address 1 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address 2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address 2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address 2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D267A S Active Target Group is a mandatory numeric INVALID DATA: Target_group must be provided, alphan and/or special characters value was length of 55.
the format of CCYY-MM-DD. Spc_start_date must be present a have a valid date format of CCYY DD, where CCYY is a valid century ear, MM is a valid date format of CCYY DD, where CCYY is a valid century ear, MM is a valid day for that month. Parser D262A S Active State Abbreviation is a mandatory alpha field with a fixed length of 2. Parser D264A S Active Street Address 1 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. NVALID DATA: Street_address2 known, must be provided, alphan and/or special characters field with a max length of 55 characters. NVALID DATA: Street_address2 known, must be provided, alphan and/or special characters value wmax length of 55. Parser D267A S Active Target Group is a mandatory numeric INVALID DATA: Target_group must be provided.
Farser D264A S Active Street Address 1 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address2 is a situational alphanumeric and/or special characters walue was length of 55. Parser D265A S Active Street Address2 is a situational alphanumeric and/or special characters field with a max length of 55 characters. Parser D267A S Active Target Group is a mandatory numeric INVALID DATA: Target_group model.
alphanumeric and/or special characters field with a max length of 55 characters. Parser D265A S Active Street Address2 is a situational alphanumeric and/or special characters alphanumeric and/or special characters known, must be provided, alphanumeric and/or special characters known, must be provided, alphanumeric and/or special characters field with a max length of 55 characters. Parser D267A S Active Target Group is a mandatory numeric INVALID DATA: Target_group must be provided, alphanumeric and/or special characters value wmax length of 55.
alphanumeric and/or special characters known, must be provided, alphan field with a max length of 55 characters. Parser D267A S Active Target Group is a mandatory numeric INVALID DATA: Target_group must be provided, alphan and/or special characters value w max length of 55.
Parser D268A M Active Telephone Number is a situational INVALID DATA: Telephone_numl numeric field with a fixed length of 10. known, must be provided, numerifixed length of 10.
Parser D271A R Active Worker ID is a situational numeric field worker_ld must be numeric and find the state of the state o
Parser D272A M Active Zip Code is a mandatory numeric field INVALID DATA: Zip_Code must be with a max length of 9. present, numeric and max length
Parser D273A S Active NPI is a situational numeric field with a INVALID DATA: When provided r fixed length of 10. must be numeric and fixed length
Parser D300A S Active Age at First Use Primary is a situational numeric field with a fixed length of 2. Active Age at First Use Primary is a situational numeric age_at_first_use_primary must be numeric and fixed length of 2.
Parser D301A S Active Age at First Use Secondary is a INVALID DATA: When provided, situational numeric field with a fixed age_at_first_use_secondary mus length of 2.
Parser D302A S Active Age at First Use Tertiary is a situational INVALID DATA: When provided, numeric field with a fixed length of 2. age_at_first_use_tertiary must be numeric and fixed length of 2.
Parser D303A S Active Brief Service is a mandatory alpha field INVALID DATA: Brief_service, mo

Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				with a fixed length of 1.	provided, alpha and fixed length of 1.
Parser	D304A	S	Active	Close Status A is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, close_status_a must be numeric and fixed length of 1.
Parser	D305A	S	Active	Close Status E is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, close_status_e must be numeric and fixed length of 1.
Parser	D306A	S	Active	Close Status F is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, close_status_f must be numeric and fixed length of 1.
Parser	D307A	S	Active	Co Dependent Collateral is a mandatory alpha field with a fixed length of 1.	INVALID DATA: Co_dependent_collateral must be provided, alpha and fixed length of 1.
Parser	D308A	S	Active	Close Status AR is a situational numeric field with a max length of 2.	INVALID DATA: When provided, close_status_ar must be numeric and max length of 2.
Parser	D309A	S	Active	Close Status LA is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, close_status_la must be numeric and fixed length of 2.
Parser	D310A	S	Active	Education at Time of Admission is a situational numeric field with a fixed length of 2.	INVALID DATA: Education_at_time_of_admission must be numeric with a fixed length of 2.
Parser	D311A	S	Active	Employment Status is a situational numeric field with a fixed length of 1.	INVALID DATA: Employment_status must be numeric with a fixed length of 1.
Parser	D312A	S	Active	Family Relationship is a Situational numeric field with a fixed length of 1.	INVALID DATA: Family_relationship must be numeric with a fixed length of 1.
Parser	D313A	М	Active	Pregnant at Time of Admission is a situational alpha field with a fixed length of 1.	INVALID DATA: Pregnant_at_time_of_admission must be alpha with a fixed length of 1.
Parser	D314A	S	Active	Registration Arrests is a situational numeric field with a max length of 2.	INVALID DATA: Registration_arrests must be numeric with a max length of 2.
Parser	D315A	S	Active	Registration Living Situation is a situational numeric field with a fixed length of 2.	INVALID DATA: Registration_living_situation must be provided, numeric and fixed length of 2.

Revision Date:	02/01/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D316A	S	Active	Special Project Reporting is an alphanumeric field with a max length of 22.	INVALID DATA: When provided, special_project_reporting must be alphanumeric and with a max length of 22.
Parser	D317A	S	Active	Substance Problem at Discharge is a situational numeric field with a fixed length of 2.	INVALID DATA: When provided, substance_problem_at_discharge must be numeric and fixed length of 2.
Parser	D318A	S	Active	Substance Problem Primary is a situational numeric field with a fixed length of 2.	INVALID DATA: Substance_problem_primary must be numeric with a fixed length of 2.
Parser	D319A	S	Active	Substance Problem Secondary is a situational numeric field with a fixed length of 2.	INVALID DATA: When provided, substance_problem_secondary must be numeric and fixed length of 2.
Parser	D320A	S	Active	Substance Problem Tertiary is a situational numeric field with a fixed length of 2.	INVALID DATA: When provided, substance_problem_tertiary must be numeric and fixed length of 2.
Parser	D321A	S	Active	Use Frequency Primary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, use_frequency_primary must be numeric and fixed length of 1.
Parser	D322A	S	Active	Use Frequency Secondary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, use_frequency_secondary must be numeric and fixed length of 1.
Parser	D323A	S	Active	Use Frequency Tertiary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, use_frequency_tertiary must be numeric and fixed length of 1.
Parser	D324A	S	Active	Usual Administration Primary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, usual_administration_primary must be numeric and fixed length of 1.
Parser	D325A	S	Active	Usual Administration Secondary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, usual_administration_secondary must be numeric and fixed length of 1.
Parser	D326A	S	Active	Usual Administration Tertiary is a situational numeric field with a fixed length of 1.	INVALID DATA: When provided, usual_administration_tertiary must be numeric and fixed length of 1.
Parser	H001A	Н	Active	Submitter Organization ID is a mandatory 8 digit field.	INVALID DATA: Submitter_organization_id must be present in the detail record, numeric and fixed length of 8.

Revision Date:	02/01/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Parser Edits

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	H002A	Н	Active	Submission Date is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Submission_date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	H003A	Н	Active	Begin Posting Date is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: Begin_posting_date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	H004A	Н	Active	End Posting Date is a mandatory field in the format of CCYY-MM-DD.	INVALID DATA: End_posting_date must be present and have a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Parser	H005A	Н	Active	Number of Records is a mandatory whole integer field.	INVALID VALUE: Number_of_records_transmitted must be present and must be a whole integer from 0 to 999999999.

Revision Date: 02/01/2008 Author: Ramona Johnson	Approver:
--	-----------

Level 3 – AODA Parser Edits

MEDS – LTCare Encounter Reporting 3.0

CHANGE LOG

Date	Changes	Changed By	Remarks/Reason	
10/08/07	Document is baselined 10/08/07. All changes will be implemented into the baselined document and documented in the change log.	Ramona Johnson	One time document base lining.	
10/09/07	Changes made: alphanumeric spelled with an A, NPI to npi (error message), and max length instead of Max–length.	Ramona Johnson	Changes were textural for the edit message and description. Alternate changes could have affected the xsd and xml.	
10/29/07	Received Parser 3.0 MH Edits: six 'A' parser edits and one additional edit D004H.	Charles Rumberger	Updated Parser Edits: DD field name/additions	
10/29/07	Additional AODA 3.0 edits has been added, which included six 'A' parser edits A009A – D, A010A, and A011A. One additional edit D004H added.	Ramona Johnson	Parser Edits: seven additional edits included	
02/01/08	AODA edits changes: D227A, D252A, D258A, D271A, D310A, 11A, 12A, 13A, 14A, 15A, 18A	Ramona Johnson	Parser Edits: 11 edits revised	
03/31/08	AODA parser edit changes for: D004H, D228A and D229A.	Phyllis Schmoller	Parser Edits per customer request.	
09/05/08	Replaced D074B with D074T.	Phyllis Schmoller	Parser edit change per customer request.	
12/30/08	Added edits D042B and D043B.	Phyllis Schmoller	Edits added per Charles' spreadsheet.	
2/17/09	Changed edit D261A.	Phyllis Schmoller	Changed per Charles' spreadsheet.	

Revision Date:	02/01/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--